

Building Bridges 2012 References and Bibliography

- AAP Task Force on Sudden Infant Death Syndrome. 2005. Changing concepts of sudden infant death syndrome: implications for infant sleeping environment and sleep position. *Pediatrics* 115(3):496-506
- AAP – 2005 – Section on Breastfeeding Policy Statement. Breastfeeding and the use of human milk. *Pediatrics* 115(2): 496-506
- AAP Committee on Fetus and Newborn, Hospital stay for healthy term newborns, *Pediatrics*, Vol 96, No 4, October 1995, pp 788-789.
- Academy of Breastfeeding Medicine. 2007. Clinical Protocol: Guidelines for Hospital Discharge of the breastfeeding term newborn and mother. "The Going Home Protocol." *Breastfeeding Medicine* 2(3):158-161
- Adair LS. 2008. Methods appropriate for studying the relationship of breastfeeding to obesity. *J Nutr. Epub* Dec 23.
- American Academy of Pediatrics, 2000. Prevention and management of pain and stress in the neonate. *Pediatrics*, 105(2), 454-61
- Anim-Somuah, M. 2005. Cochrane review eyes epidural risks. *Ob.Gyn.News* 40(23). December. 1, 3
- Armstrong J, Reilly JJ. 2002. Breastfeeding and lowering the risk of childhood obesity. *Lancet*. 359(9322);2003-4.
- Association for Pre & Perinatal Psychology: <http://www.birthpsychology.com/>
- Bader, AM et al. 1995. Maternal and neonatal fentanyl and bupivacaine concentrations after epidural infusion during labor. *Anesthesia and Analgesia*, 81(829-832).
- Bartick M, Stuebe A, Shealy KR, Walker M, Grummer-Strawn L. 2009. Closing the quality gap: promoting evidence-based breastfeeding care in the hospital. *Pediatrics*. 124: e793-802
- Bates, B. 2007. Light eating during labor won't raise complication risk: Risk low, satisfaction high in U.K. study. *ObGyn News* 42(9):1, 5
- Baumgardner, D, et al. 2003. Effect of labor epidural anesthesia on breast-feeding of healthy full-term newborns delivered vaginally. *J AM Board Fam Pract* 16(1):7-13
- Beilin, Y et al. 2005. Effect of labor epidural analgesia with and without fentanyl on infant breast-feeding: A prospective, randomized, double-blind study. *Anesthesiology*, 103(1211-1217).
- Berger, LR. 1980. Parental guilt: self-induced and iatrogenic. *Clin Pediatr* 19(7):499-500. Jul.
- Bergman, N. J. 2005. Skin to skin contact and perinatal neuroscience. Paper presented at the meeting of the International Lactation Consultant Association Conference, July, 2005 -- Chicago, IL
- Bernstein, P. 2005. Complications of Cesarean Deliveries. *Medscape* September 15
- Bramson LM, et al Effects of early skin to skin mother-infant contact during the first 3 hours following birth on exclusive breastfeeding during the maternity hospital stay. *JHL* 26(2) 130-137. 2010
- Bystrova, K. et al. 2007. The effect of Russian maternity home routines on breastfeeding and neonatal weight loss with special reference to swaddling. *Early Human Development* 83(1):29-39
- Bystrova, K et al. 2003. Skin to skin contact may reduce negative consequences of "stress of being born." A study on temperature on newborn infants subjected to different ward routines in St. Petersburg. *Acta Paediatrica* 92(3):320-326

Callahan S, Sejourne N, Denis A. 2006. Fatigue and breastfeeding; an inevitable partnership?. *J Hum Lact.* 22(2);182-87.

CDC MMWR, 2008. Breastfeeding-related maternity practices at hospitals and birth centers, United States, 2007. June 13. 57(23)

Centers for Disease Control. Vital Signs: hospital practices to support breastfeeding-United States, 2007 and 2009. *MMWR Morb Mortal Wkly Report*, 2011. 60(30):1020-5

Chiu, S-H et al. 2005. Newborn temperature during skin-to-skin breastfeeding in couples having breastfeeding difficulties. *Birth* 13(2): 115-121

Cloherty M et al. 2004. Supplementing breast-fed babies in the UK to protect their mothers from tiredness or distress. *Midwifery* 20(2) June

Colson SD, Meek JH, Hawdon JM. 2008. Optimal positions for the release of primitive neonatal reflexes stimulating breastfeeding. *Early Hum Devel.*84: 441-449

Colson SD, de Rooy L, Hawdon JM. 2003. Biological Nurturing increases duration of breastfeeding for a vulnerable cohort. *Midwifery Digest.*13:1; 92-97.

Colson S. 2010. An Introduction to Biological Nurturing:New Angles on Breastfeeding. Amarillo, TX: Hale Publishing.

Coryllos, E et al. 2004. Congenital tongue-tie and its impact on breastfeeding. *AAP Section on Breastfeeding Newsletter* Summer.

Courtney, K. 2007. Maternal anesthesia: What are the effects on neonates? *NWH* 11:5(499-502).

Cox, S. 2010. Altering Hospital Maternity Culture: current evidence for the ten steps to successful breastfeeding. *Clinics in Human Lactation.* Hale Publishing, Amarillo TX

Cramton, R et al. 2009. Optimizing successful breastfeeding in the newborn. *Current Opinion in Pediatrics.* 21:386-396

Dabrowski, G. 2007. Skin to skin contact. Giving birth back to mothers and babies. *NWH* 11(1): 64-71

Dahlenburg, GW et al. The relationship between cord serum sodium levels in newborn infants and maternal intravenous therapy during labor. *Br J Obstet Gynecol* 1980;87:519-522.

Damato, E. 2007. Safe Sleep: Can pacifiers reduce SIDS risk? *NWH* 11(1):72-76.

de Lourdes, M et al. 2010. Influence of breastfeeding type and maternal anemia on hemoglobin concentration in 6-month-old infants. *Jornal de Pediatria.* 86(1):65-72

Dewey KG et al. 2009. Delayed lactogenesis and excess neonatal weight loss are common across ethnic and socioeconomic categories of primiparous women in northern California [meeting abstract]. *Pediatric Academic Society* 2009. Vol 23. New Orleans LA: FASEB; pp 344-347

Dewey, KG et al. 2003. Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. *Pediatrics*, September; 112(3 Pt 1):607-19

DiGirolamo AM, Grummer-Strawn LM, Fein SB. 2006. Do perceived attitudes of physicians and hospital staff affect breastfeeding decisions? *Birth.*30(2);94.

DiGirolamo, A. et al. 2008. Effect of maternity-care practices on breastfeeding. *Pediatrics* Vol 122, Supplement 2. October. 543-548

- Dunn S, Davies B, McCleary L, Edwards N, Gaboury I. 2006. The relationship between vulnerability factors and breastfeeding outcome. *J Obstet Gynecol Neonatal Nurs.* 35(1):87-97.
- Edmond, K et al. 2006. Delayed breastfeeding initiation increases risk of neonatal mortality. *Pediatrics* 117(3):e380-e386
- Ekstrom A, Nissen E, 2006. A mothers feelings for her infant are strengthened by excellent breastfeeding counseling and continuity of care. *Pediatrics.* 118:e309-14.
- Engler, AJ. 2005. Maternal Stress and the white coat syndrome: A case study. *Pediatric Nursing.* 31(6) 470-473
- Feber, S & Makhoul, I. 2004. The effect of skin-to-skin contact (kangaroo care) shortly after birth on the neurobehavioral responses of the term newborn: a randomized, controlled trial. *Pediatrics* 113(4): April
- Gatrell CJ. 2007. Secrets and lies: breastfeeding and professional paid work. *Soc Sci Med.* 65(2); 393-404
- Gill, SL. 2001. The little things: Perceptions of breastfeeding support. *JOGNN.* 35(401-409
- Goldfield, E et al. 2006. Coordination of sucking, swallowing, and breathing and oxygen saturation during early infant breastfeeding and bottle feeding. *International Pediatrics Research Foundation* 60(4): 450-455. October.
- Graffy, J et al. 2005. What information, advice, and support do women want with breastfeeding? *BIRTH* 32(3):179-186. September.
- Grieve V, Howarth T. 2000 The counseling needs of breastfeeding women. *Breastfeeding Review* Jul: 8 (2):9-15.
- Griffiths, M. 2007. Tongue tie treatment solves breastfeeding problems. *AAP National Conference*, October, 2007. As presented in *MedScape*, October 31, 2007.
- Hall, RT, Mercer, AM et al. 2006. A breastfeeding assessment score to evaluate the risk for cessation of breastfeeding by 7-10 days of age. *J Pediatr* 141:659-664
- Hauck, YL, Iruita, VF. 2003. Incompatible expectations: the dilemma of breastfeeding mothers. *Health Care Women Int.* 24(1):62-78. Jan.
- Horsley, T et al. 2007. Benefits and harms associated with the practice of bed sharing: a systematic review. *Arch Pediatr Adolesc Med.* Vol 161, March. www.archpediatrics.com
- Jonas, W et al. 2009. Effects of intrapartum oxytocin administration and epidural analgesia on the concentration of plasma oxytocin and prolactin, in response to suckling during the second day postpartum. *Breastfeeding Medicine* 4(2):71-82
- Jonas, W et al. 2007. Newborn skin temperature two days postpartum during breastfeeding related to different labour ward practices. *Early Hum Dev* 83:55-62.
- Jordan, S. 2006. Infant feeding and analgesia in labor: the evidence is accumulating. *International Breastfeeding J* 1(24): November.
- Jordan, S et al. 2005. Fentanyl during labor may impede establishment of breastfeeding. *BJOG* 112:927-934 (10 Steps)
- Kanotra S et al. 2007. Challenges faced by new mothers in the early postpartum period; an analysis of comment data from the 2000 Prenancy Risk Assessment Monitoring System (PRAMS) Survey. *Matern Child Health.* 11(6):549-58.
- Karlstrom, A et al. 2007. Postoperative pain after cesarean birth affects breastfeeding and infant care. *JOGNN*36(5):430-440

- Kendall-Tackett, K et al. 2011. The effect of feeding method on sleep duration, maternal well-being and postpartum depression. *Clinical Lactation*. Vol 2-2 pp 22-26
- Kervin BE, Kemp L, Pulver LJ. 2010. Types and timing of breastfeeding support and its impact on mothers' behaviors. *J Paediatr Child Health*. 46(3):85-91.
- Kirkham C, Harris S, Grzybowski S. (2005). Evidence based prenatal care; general prenatal care and counseling issues. *Am Fam Physician*. 71(7):1307-16
- Kruse, L et al. 2005. Comparing sociodemographic and hospital influences on breastfeeding initiation. *Birth* 13(2): 81-85
- Labarere J et al. 2005. Efficacy of breastfeeding support provided by trained clinicians during an early routine preventative visit; a prospective, randomized open trail of 226 mother-infant pairs. *Pediatrics*. 115(2) 139-46.
- Labbok, M. 2008. Exploration of guilt among mothers who do not breastfeed: the physician's role. *JHL* 24(1). 80-84
- Lauwers, J & Swisher, A. 2011. *Counseling the Nursing Mother*. 5th Edition. Jones & Bartlett. Sudbury, MA, Lawrence & Lawrence. 2011. *Breastfeeding: A Guide for the Medical Profession*. 7th Edition. Mosby, St. Louis MO.
- Lehman, L & Plante, L. 2006. Patient-Choice vaginal delivery? *Annals of Family Medicine* 4:265-268.
- Lewallen, L et al. 2006. Breastfeeding support and early cessation. *JOGNN*. 35(2): 166-172. March/April
- Lie B and J Juul: Effect of epidural vs. general anesthesia on breastfeeding, *Acta Obstet Gynecol Scand*, 1988, 67:207-9.
- Lieberman, E., O'Donoghue C. 2003. Unintended effects of epidural analgesia during labor: a systematic review. *Am J Obstet Gynecol*. 186 (5 Suppl Nature):S31-S68
- Lieberman, E. 2005. Epidural analgesia during labor increases risk of abnormal fetal head position. *Obstet Gynecol*. 105.
- Lieberman, E., O'Donoghue C. 2003. Unintended effects of epidural analgesia during labor: a systematic review. *Am J Obstet Gynecol*. 186 (5 Suppl Nature):S31-S68
- Luddington-Hoe S. 2002. Infant Crying: Nature, physiologic consequences and select interventions. *Neonatal Network* 21(2): 29-36. March.
- Luddington-Hoe, S et al. 2006. Breast and infant temperatures with twins during shared kangaroo care. *JOGNN* 35(2): 223-231. March/April.
- Ludka, L & Roberts C, 1993. Eating and drinking in labor, a literature review. *JNM*. 38(199-207).
- Mannel, R et al., Eds. 2008. *ILCA's Core Curriculum for Lactation Consultant Practice*. Raleigh, NC. Ed. 2.
- Marasco, L., & Barger, J. Cue vs scheduled feeding: revisiting the controversy. *Mother Baby Journal* Vol 3, No. 4, July, 1998 p. 39-42
- Martnes, P; Romphf, L. 2007. Factors associated with newborn in-hospital weight loss: Comparisons by feeding method, demographics and birthing procedures. *JHL* 23(3), pp 233-241. August.
- Matthews MK: The relationship between maternal labor analgesia and delay in the initiation of breastfeeding in healthy neonates in the early neonatal period, *Midwifery*, 5:3-10, 1989.

- Meier, Paula et al. 2007. Increased lactation risk for late preterm infants and mothers: evidence and management strategies to protect breastfeeding *Journal of Midwifery & Women's Health*. 52(6):579-587
- Mercer, A M, Teasley ST et al. 2010. Evaluation of a breastfeeding assessment score in a diverse population. *J Hum Lact* 26:42-48
- Merewood, A et al. 2009. Association between vitamin D deficiency and primary cesarean section. *J Clin Endocrinol Metab*. March. 94(3):940-945.
- Merewood, A. Et al. 2005. Baby Friendly hospitals boost breastfeeding rates. Reported in Reuters Health Information. September.
- Mitra AK, Khoury AJ, Carothers C, Foretich C. (2003). The loving support breastfeeding campaign; awareness and practices of health care providers in Mississippi. *J Obstet Gynecol Neonatal Nursing*. 32(6):753-60.
- Mizuno, K. et al. 2004. Mother-infant skin to skin contact after delivery results in early recognition of own mother's milk odor. *Acta Paediatrica* 93(12): 1640-1645.
- Moore, E & Anderson GC. 2007. Randomized controlled trial of very early mother-infant skin-to-skin contact and breastfeeding status. *Jour Midwif & Women's Health*. 52(2):116-125
- Morelius E, et al. Salivary cortisol and mood and pain profiles during skin to skin care for an unselected group of mothers and infants in neonatal intensive care. *Pediatrics* Vol.116(5) 2005. Page 1105-1113
- Morrison, B et al. 2006. Interruptions to breastfeeding dyads on postpartum day 1 in a university hospital. *JOGNN* 35(6):709-716. November/December.
- Morton SC et al, Effect of epidural analgesia for labor on cesarean delivery rate, *Ostet Gynecol*, 83:1045-52, 1994.
- Murray, E et al. 2007. Hospital practices that increase breastfeeding duration: Results from a population-based study. *Birth* 34:3 (202-210)
- Newacheck PW, Kim SE, Blumberg SJ, Rising JP. 2008. Who is at risk for special health care needs: findings from the National Survey of Children's Health. *Pediatrics*. 122(2):347
- Newman, J. 1998. Breastfeeding and Guilt. Handout #23.
<http://breastfeed.com/resources/articles/drjack/guilt.htm>
- Noel-Weiss, J et al. 2011. An observational study of associations among maternal fluids during parturition, neonatal output and breastfed newborn weight loss. *International Breastfeeding Journal* 2011, 6:9
- Nommsen-Rivers, L et al. 2009. Doula care, early breastfeeding outcomes, and breastfeeding status at 6 weeks postpartum among low-income primiparae. *JOGNN* 38(2):157-173
- Nommsen-Rivers, L et al. 2008. Newborn wet and soiled diaper counts and timing of onset of lactation as indicators of breastfeeding inadequacy. *JHL* 24(1): 27-33
- Ostfeld, B et al. 2006. Sleep environment, positional, lifestyle and demographic characteristics associated with bed sharing in sudden infant death syndrome cases: a population based study. *Pediatrics* 118:4. November. 2051-2059
- Radzysinski, S. 2005. Neurobehavioral functioning and breastfeeding behavior in the newborn. *JOGNN*. 34(3): May/June
- Radzysinski, S. 2003. The effect of ultra low dose epidural analgesia on newborn breastfeeding behaviors. *JOGNN*:32(3) May/June, 322-331.

- Ricke, L et al. 2005. Newborn tongue-tie: Prevalence and effect on breast-feeding. *JABFM* 18:1-7
- Righard L and M Alade: Effect of delivery room routines on success of first breastfeed, *Lancet*, Vol 336, Nov., 3, 1990 p. 1105.
- Righard L and M Alade: Sucking Technique and its Effect on Success of Breastfeeding, *Birth*, December, 185-189, 1992.
- Riordan, J. & Wambach, K. 2010. *Breastfeeding and Human Lactation*. 4th Edition. Jones & Bartlett, pub. Sudbury MA
- Romano, A & Lothian, J. 2008. Promoting, protecting, and supporting normal birth: A look at the evidence. *JOGNN* 37:1, 94-104.
- Rosen, L. 2008. Infant sleep and feeding. *JOGNN* 37(6): 706-714
- Rosenberg KD et al. 2008. Impact of hospital policies on breastfeeding outcomes. *Breastfeed Med*. 3(2):110-16.
- Roundtable Discussion 2006. Why do women go along with this stuff? *Birth* 33:3, September, pp 245-250
- Rubin R: Attainment of the maternal role, *Nursing Research*, 16(3):237-245, 1957.
- Ruowei, L et al. 2008. Why mothers stop breastfeeding: Mothers self-reported reasons for stopping during the first year. *Pediatrics* 122 Supplement 2, October, 569-576
- Sakala, C. 2007. Letter from North America: Understanding and minimizing nocebo effects in childbearing women. *Birth* 34(4): 348-350
- Saki A et al. 2010. A prospective study of the effect of delivery type on neonatal weight gain pattern in exclusively breastfed neonates born in Shiraz, Iran. *Int Breastfeed J*. 5(1):1-29.
- Santoro, W et al. 2010. Colostrum ingested during the first day of life by exclusively breastfed healthy newborn infants. *Journal Pediatrics*. 156(1): 29-32
- Sepkoski, Lester, et al, "The effects of maternal epidural anesthesia on neonatal behavior during the first month". *Developmental Medicine and Child Neurology* (Vol 32, p 1072-1080), May, 1992.
- Sepkoski C et al, Neonatal effects of maternal epidurals, *Dev Med Chil Neurol* 36:375-376, 1994.
- Shannon, T et al. 2008. Breastfeeding in the 21st Century: Overcoming barriers to help women and infants. *NWH* 11:6(569-575)
- Simpson, K et al. 2003. Trends and issues in labor induction in the united states: Implications for clinical practice. *JOGNN* 32(6) Nov/Dec. 767-79
- Simpson, K et al. 2006. Essential criteria to promote safe care during labor and birth. *AWHONN Lifelines* 9(6):478-483. Dec/Jan
- Sleutel, M. & Golden, S: Fasting in labor: relic or requirement. *JOGNN* 28:5, 507-512, 1999
- Smith, L. 2010 *Impact of Birthing Practices on Breastfeeding*. 2nd Edition. Jones & Bartlett, Pub. Sudbury MA.
- Solter, A. 2004. Crying for comfort: distressed babies need to be held. www.mothering.com/print/2282
- Spear, Hila. 2006. Policies and practices for maternal support options during childbirth and breastfeeding initiation after cesarean in southeastern hospitals. *JOGNN*. 35(5): Sept/Oct. Pp 634-647

- Stevens, BJ, Johnsotn, CC & Grunau, RVE. 1995. Issues of assessment of pain and discomfort in neonates. *JOGNN*. 24(9), 849-855
- Strathearn, L. et al. 2009. Does breastfeeding protect against substantiated child abuse and neglect? A 15-year cohort study. *Pediatrics* 123(2): 483-493
- Strauch, C. Brandt., S, & Edwards-Beckett, J. 1993. Implementation of a quiet hour: Effect on noise levels and infant sleep states. *Neonatal Network*. 12(2), 31-35
- Svensson, K, et al. 2005. Night rooming-in: who decides? An example of staff influence on mother's attitude. *Birth* 13(2): 99-106
- Thorp JA et al, Epidural analgesia in labor: An evaluation of risks and benefits, *Birth*, 23:63-83, 1996.
- Tofteland, L. 2006. Conceiving care: how the desires of nursing mothers transformed the delivery of our care. *AWHONN Lifelines* 10(4):313-319. August/September.
- Torvaldsen, S. 2006. Intrapartum epidural analgesia and breastfeeding: a prospective cohort study. *International Breastfeeding J.* 1(24). December.
- U.S. Department of Health and Human Services. The Surgeon General's Call to Action to Support Breastfeeding. Washington D.C.: U.S. Department of Health and Human Services. Office of the Surgeon General.2011
- Verklan, MT. 2002. Physiologic variability during transition to extrauterine life. *Critical Care Nursing Quarterly*. 24(4), 41-56
- Walters MW, et al. Kangaroo care at birth for full term infants: A pilot study. *MCN* 32(6); 375-381. 2007
- Watson-Genna C. 2010. Facilitating Autonomous Infant Hand Use During Breastfeeding. *Clinical Lactation* Vol 1:15-21.
- Watson-Genna, Catherine 2008. Supporting Sucking Skills in Breastfeeding Infants. Sudbury, MA: Jones and Bartlett Publishers
- WHO/UNICEF. 2009. Baby-Friendly Hospital Initiative: Revised, updated and expanded for integrated care. Geneva, Switzerland. Available at: <http://www.who.int/entity/nutrition/publications/infantfeeding/9789241594967-s1.pdf>. Accessed January 21, 2010
- WHO/UNICEF. Protecting, Promoting, and Supporting Breastfeeding, A Joint WHO/UNICEF Statement, Geneva, 1989
- Widstrom, AM et al. 2010. Newborn behavior to locate the breast when skin-to-skin: A possible method for enabling early self-regulation. *Acta Paediatr* Aug 15.
- Wieczorek, PM et al. 2010. Breastfeeding success rate after vaginal delivery can be high despite the use of epidural fentanyl: an observational cohort study. *Int J Obstet Anesth* Jul; 19(3):273-7
- Wilson, MJ et al. 2010. Epidural analgesia and breastfeeding: a randomised controlled trial of epidural techniques with and without fentanyl and a non-epidural comparison group. *Anaesthesia*. Feb; 65(2):145-153
- Wilson-Clay, B & Hoover, K. 2008. The Breastfeeding Atlas. LactNews Press, Austin TX
- www.cdc.gov Improving Hospitals' Support for Breastfeeding. February 2009
- .Zwelling, E. 2008. The emergence of high-tech birthing. *JOGNN*. 37:1, 85-93.